

2020-21

375	SSC/T/mil/pan/38	26/5/2020	malaya corp	11	3	400/-	Anoop m
376	SSC/T/mil/pan/38	26/5/2020	"	11	3	500/-	Anoop m
377	SSC/T/mil/pan/38	11	Kanathy Co P	11	3	500/-	Anoop m
378	SSC/T/mil/pan/38	26/5/2020	medulany Co P	11	3	500/-	Anoop m
379	SSC/T/mil/pan/41	26/5/2020	Kanathy Co P	11	3	500/-	Anoop m
380	SSC/T/mil/pan/42	29/5/2020	malayalam Co P	11	3	500/-	Anoop m
381	SSC/T/mil/pan/43	31	11	11	11	500/-	Anoop m
382	SSC/T/mil/pan/44	2/6/2020	11	11	11	500/-	Anoop m
383	SSC/T/mil/pan/45	5/6/2020	11	11	11	500/-	Anoop m
384	SSC/T/mil/pan/46	22/6/2020	LSBD Muldy	11	3	500/-	Anoop m
385	SSC/T/mil/pan/47	19/6/2020	Malya Co P	11	3	800/-	Anoop m
386	SSC/T/mil/pan/48	25/6/2020	hindimaterials	cap tab		1000/-	Dhanraj ATG
387	SSC/T/mil/pan/49	24/6/2020	11	11		1000/-	Dhanraj ATG
388	SSC/T/mil/pan/50	25/6/2020	11	11		1000/-	Dhanraj ATG

SL No	Invoice no	Date of Inv	Letter From	Name of Lab and test	No of Sample	Receipt no, date	Amount paid	Part Coludg	Asst Hd	Labour chaga	Remark
2 389	SSET/GCL/200/51	25/6/2020	Kairveli minerals	Cum Tech, sieves			1000/-	Prasad I B			
3 390	SSET/GCL/200/52	11	11	11			1000/-	Prasad I B			
3 391	SSET/GCL/200/53	11	11	11			1000/-	Prasad I B			
3 392	SSET/GCL/200/54	26/6/2020	11	11			1000/-	Prasad I B			
3 393	SSET/GCL/200/55	29/6/2020	11	11			1000/-	Danaya T B			
3 394	SSET/GCL/200/56	11	11	11			1000/-	Danaya T B			
3 395	SSET/GCL/200/57	11	11	11			1000/-	Danaya T B			
3 396	SSET/GCL/200/58	11	11	11			1000/-	Danaya T B			
3 397	SSET/GCL/200/59	6/7/2020	AE wairachthy	11			1000/-	Danaya T B			
3 398	SSET/GCL/200/60	8/7/2020	AE, N. paravoor	11			1000/-	Danaya T B			
3 399	SSET/GCL/200/62	14/7/2020	AE, N. paravoor	11			1000/-	Danaya T B			
3 400	SSET/SML/200/63	9/7/2020	coastal Engineering	compressive strength, find			1200/-	Anoop. m			63, 64, 65
3 401	SSET/SML/200/64	11	11	Soundness of cement			1000/-	Prasad I B			66, 67
3 402	SSET/SML/200/65	11	11	Specific gravity				Prasad I B			
3 403	SSET/SML/200/66	11	11	Specific gravity				Prasad I B			
3 404	SSET/SML/200/67	11	11	Specific gravity cement				Anoop. m			
3 405	SSET/SML/200/68	12/8/2020	AE Karamthi	MT, compressive strength			800/-	Anoop. m			
3 406	SSET/SML/200/69	9/7/2020	coastal Enging	MT Lab			8800/- on 17/8/2020	Anoop. m			
3											
3											
3 407	SSET/SML/200/70	21/8/2020	AE LSND Chabug	MT Lab compressive strength MT Lab			800/-	Anoop. m			
3 408	SSET/SML/200/71	11	11	11			800/-	Anoop. m			
3 409	SSET/SML/200/72	11	11	11			800/-	Anoop. m			
3 410	SSET/SML/200/73	14/9/2020	AE Chabug	MT, cube Test			800/-	Anoop. m			
3 411	SSET/SML/200/74	14/9/2020	AE Chabug	11 11			800/-	Anoop. m			
3 412	SSET/SML/200/75	30/9/2020	Sankar Reddy	MT, Tensile test			4000/-	Anoop. m			
3 413	SSET/SML/200/76	11	coastal Eng.	MT, sieves				Anoop. m			
3 414	SSET/SML/200/77	11	coastal Eng	MT, sieves				Anoop. m			
3 415	SSET/SML/200/78	14/10/2020	Kavuthi AE	MT compressive strength			800/-	Anoop. m			
3 416	SSET/SML/200/79	11	11	11 11			800/-	Anoop. m			
3 417	SSET/SML/200/80	21/10/2020	makanna GP	11			800/-	Anoop. m			
3 418	SSET/SML/200/81	27/10/2020	Peraiyadikul GP	11			1600/-	Anoop. m			
3 419	SSET/SML/200/82	11	11	11			800/-	Anoop. m			

amount paid
5400/-
22/7/2020

Sl. No	Invoice No	Date of test	Test Lab	name of test & spec	no of sample	Receipt no	Amount paid	Test conducted by	Assistant	Laboratory	Remarks
420	SSC/MS/200/87	6/11/2020	Kozhikode C.P	MT	3		500/-	Amop. m			
421	SSC/MS/200/88	6/11/2020	Kannur C.P	MT	3		500/-	Amop. m			
422	SSC/MS/200/89	1/12/2020	Panakkalam C.P	MT, Testum	5		5000/-	Prasad IB			
423	SSC/MS/200/90	27/11/2020	Panakkalam C.P	MT, Sives			1000/-	Dhanaya TB			
424	SSC/MS/200/91	20/12/2020	Panakkalam C.P	MT, Hardly 200	5			Prasad IB			89,90 RS 1000
425	SSC/MS/200/91	26/11/2020	"	MT, initial, end			100/-	Amop. m			
426	SSC/MS/200/92	"	"	MT, cubes	1		1000/-	Amop. m			
427	SSC/MS/200/93	"	"	MT, compression	3		500/-	Amop. m			
428	SSC/MS/200/94	"	"	MT, compression	3		500/-	Amop. m			
429	SSC/MS/200/95	"	"	" "	3		500/-	Amop. m			
430	SSC/MS/200/96	30/11/2020	Kannur C.P	MT, cubes	3		500/-	Amop. m			
431	SSC/MS/200/97	11/12/2020	Mooremoo C.P	MT, Penangilal	3		500/-	Amop. m			
432	SSC/MS/200/98	"	"	" "	3		500/-	Amop. m			
433	SSC/MS/200/99	16/12/2020	Panakkalam C.P	MT, Compression			1500/-	Amop. m			
434	SSC/MS/200/100	17/12/2020	"	MT, " cubes			500/-	Amop. m			
435	SSC/MS/200/101	20/12/2020	"	MT, Lab cubes			500/-	Amop. m			
436	SSC/MS/200/102	"	Kannur C.P	MT, Lab, giles	3		500/-	Amop. m			
437	SSC/MS/200/103	"	"	" "	3		500/-	Amop. m			
438	SSC/MS/200/104	"	Kannur C.P	MT, cubes	3		4500/-	Amop. m			
439	SSC/MS/200/105	"	Kannur C.P	MT, cubes	3		500/-	Amop. m			
440	SSC/MS/200/106	22/12/2020	Kannur C.P	MT, cubes	3		500/-	Amop. m			
441	SSC/MS/200/107	15/1/2021	Mooremoo C.P	MT, Penangilal	3		500/-	Amop. m			
442	SSC/MS/200/108	"	"	" "	3		500/-	Amop. m			
443	SSC/MS/200/109	"	"	" "	3		500/-	Amop. m			
444	SSC/MS/200/110	"	Shabari m. S	MT, cubes	3		500/-	Amop. m			
445	SSC/MS/200/111	19/1/2021	REI VED	MT, Lab			1200/-	Prasad TB			
446	SSC/MS/200/111	"	"	Tension Test	3		1000/-	Prasad TB			
447	SSC/MS/200/112	"	"	Spec for granu				Prasad TB			
448	SSC/MS/200/114	21/1/2021	Changanjimg	Cylinder	3		500/-	Amop. m			
449	SSC/MS/200/117	7/10/2020	Kairali Minerals	SA analysis							
			Nalukettu	AE Lab	2		2000/-	Dhanaya TB			
450	SSC/MS/200/120	12/10/2020	"	"	1		1000/-	Dhanaya TB			

SL NO	Invoice no	Date of test	Letter from	Name of party	No of sample	Receipt no	Amount paid	By conducting	Asisted	Labour charge	Remarks
451	SSCT/mr/land/14	28/1/2021	Parakkadam Co.P	MT, compressor	6		1600/-	Anoop.m			
452	SSCT/mr/land/15	31/3/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
453	SSCT/mr/land/16	2/2/2021	Mookkand Co.P	MT, compressor	3		800/-	Anoop.m			
454	SSCT/mr/land/17	2/2/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
455	SSCT/mr/land/18	2/2/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
456	SSCT/mr/land/19	3/2/2021	"	"	3		800/-	Anoop.m			
457	SSCT/mr/land/20	3/2/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
458	SSCT/mr/land/21	1/3/2021	Parakkadam Co.P	MT compressor	6		1600/-	Anoop.m			
459	SSCT/mr/land/22	1/3/2021	Nellay	MT, compressor	3		800/-	Anoop.m			
460	SSCT/mr/land/23	1/3/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
461	SSCT/mr/land/24	1/3/2021	Kannadty Co.P	MT, compressor	3		800/-	Anoop.m			
462	SSCT/mr/land/25	1/3/2021	SARA TILES	MT/compressor	3		800/-	Anoop.m			
463	SSCT/mr/land/26	12/3/2021	Mookkand Co.P	MT compressor	3		800/-	Anoop.m			
464	SSCT/mr/land/27	12/3/2021	Pranava	MT compressor	6		1600/-	Anoop.m			
465	SSCT/mr/land/28	26/3/2021	Kannadty Co.P	MT compressor	3		800/-	Anoop.m			
466	SSCT/mr/land/29	26/3/2021	Kannadty Co.P	MT compressor	3		800/-	Anoop.m			
467	SSCT/mr/land/30										
PERIOD: 2020 APRIL - 2021 MARCH							TOTAL AMOUNT:-	98000/-			

667	SSEI/MTC/2021/01	1/4/2021	Ashraf	MT compression	6	1600/-	Anoop.m
668	SSEI/MTC/2021/02	2/6/2021	Anth AV	MT compression	3	800/-	Anoop.m
669	SSEI/MTC/2021/03	25/6/2021	Anthu AV	MT compression	3	800/-	Anoop.m
670	SSEI/MTC/2021/04	30/6/2021	AE mookkooor	MT compression	3	800/-	Anoop.m
671	SSEI/MTC/2021/05	23/7/2021	NOVA John	compression	9	2400/-	Anoop.m
672	SSEI/MTC/2021/06	8/7/2021	KS bijil	MT compression	3	250/-	Anoop.m
673	SSEI/MTC/2021/07	19/7/2021	KS bijil	MT compression	3	250/-	Anoop.m
674	SSEI/MTC/2021/08	7/10/2021	Rebuild Kerala	"	3	250/-	Anoop.m
675	SSEI/MTC/2021/09	8/10/2021	"	"	3	250/-	Anoop.m
676	SSEI/MTC/2021/10	23/9/2021	Shaju P	"	3	800/-	Anoop.m
677	SSEI/MTC/2021/11	9/10/2021	shaju P	"	3	800/-	Anoop.m
678	SSEI/MTC/2021/12	20/10/2021	Rebuild Kerala	"	3	250/-	Anoop.m
679	SSEI/MTC/2021/13	29/9/2021	"	"	3	250/-	Anoop.m
680	SSEI/MTC/2021/14	29/5/2021	AE parakkadavu	"	3	800/-	Anoop.m


Sl. No	Invoice No	Date of test	Letter from	Name of lab ^{hrs}	no of sample	Receipt no	Amount paid	Test conducted	Assessed	Recharge	Remarks
681	SSC/MS/2021/15	4/8/2021	AE Panvel	MTI computer	3		800/-	Auto p. m			
682	SSC/MS/2021/16	20/10/2021	"	"	4		800/-	Auto p. m			
683	SSC/MS/2021/17	22/8/2021	"	"	3		800/-	Auto p. m			
684	SSC/MS/2021/18	18/10/2021	At Karoff	"	3		800/-	Auto p. m			
685	SSC/MS/2021/19	5/11/2021	AE Panvel	"	3		800/-	Auto p. m			
686	SSC/MS/2021/20	15/11/2021	St Joseph's	"	3		800/-	Auto p. m			
687	SSC/MS/2021/21	20/11/2021	Joseph's	"	3		800/-	Auto p. m			
688	SSC/MS/2021/22	3/12/2021	"	"	3		800/-	Auto p. m			
689	SSC/MS/2021/23	7/12/2021	AE Panvel	"	3		800/-	Auto p. m			
690	SSC/MS/2021/24	17/10/2021	"	"	3		800/-	Auto p. m			
691	SSC/MS/2021/25	14/11/2021	"	"	3		800/-	Auto p. m			
									PERIOD:	2021 APRIL - 2021 DECEMBER	
									TOTAL	AMOUNT	19100

To
The Principal
SCMS School of Engineering and Technology
From
Dr Sunil Jacob Director SCMS centre for Robotics
Respected Sir

5-11-2019

Following are the list of project and the funding amount released by SSET

Serial No	List of Project	Funding Released
1	Rejuvenating the cells of Human body(P1)	50000 INR
2	Thought transfer and processing(P2)	40000 INR
3	Automation in Agriculture Changed to Lower Limb Exoskeleton (P3)	15000 INR
4	Tapping Green Energy at low cost changed to Brain Control Lower Limb Exoskeleton (P4)	15000 INR
5	Automated Air and sound pollution indicator with controlling mechanism Changed to Computer vision and Robotics (P5)	15000 INR
6	Brain to Muscle interface for paralyzed person (Patent Application) (P6)	10000 INR
7	De-Addiction coil for drug addicts (Patent Application) (P7)	10000 INR


Dr Sunil Jacob

Total Amount released 155000 INR





2019-20

348	SSCI/SML/2019/19	12/4/2019	Mepally Builders Chalakyady	Compression test on cube	3	500	ANOP.M
349	SSCI/SML/2019/19	7/5/2019	ST Jude cement product Koraky east	Compression test on concrete block	3	500	ANOP.M
350	SSCI/SML/2019/19	7/5/2019	Mepally Builders Chalakyady	Compression test cube	3	500	ANOP.M
351	SSCI/SML/2019/19	16/5/2019	Mepally Builders Chalakyady	Compression test cube	3	500	ANOP.M
352	SSCI/SML/2019/19	24/6/19	ST Jude cement Products	concrete block	3	500	ANOP.M
353	SSCI/SML/2019/19	24/6/19	"	"	3	500	ANOP.M
354	SSCI/SML/2019/19	27/6/19	Dobson Shramik Kattarvetur	Cube	3	500	ANOP.M
355	SSCI/SML/2019/19	27/7/19	Karali minerals Naluru HU	Sieve Analysis		1000	Dhanaya T

Sl No	Invoice No	Date of job	Received letter from	Name of Job & name of test	No. of sample	Receipt no with date	Amount paid	Test Conducting	Assisted	Lab. charge	Remarks
356	SSCT/SML/2019/17	10/6/19	2100 Tiles	MT, compressive strength	3		500/-	Anoop.m			
357	SSCT/CSE/2019/18	1/10/19	144 rebar samples	Crete h. lab, Swc			1000/-	Dhanraj MB			
358	SSCT/SML/2019/21	15/10/19	"	" "			1000/-	Dhanraj MB			
359	SSCT/MIL/2019/25	20/11/19	9 P construction	MT, compressive strength	3		500/-	Anoop.m			
360	SSCT/MIL/2019/26	20/12/19	Dabu h-2	MT, compressive strength	3		500/-	Anoop.m			
361	SSCT/MIL/2019/27	21/12/19	LSWD permeability	MT, compressive strength	3		500/-	Anoop.m			
362	SSCT/MIL/2019/28	21/12/19	"	"	3		500/-	Anoop.m			
363	SSCT/MIL/2019/29	21/12/19	"	"	3		500/-	Anoop.m			
364	SSCT/MIL/2019/27	21/12/2020	"	"	3		500/-	Anoop.m			
365	SSCT/MIL/2019/28	10/1/2020	wright construction	MT compressive strength	3		500/-	Anoop.m			
366	SSCT/MIL/2019/29	10/1/2020	AE permeability	MT compressive strength	3		500/-	Anoop.m			
367	SSCT/MIL/2019/30	"	AE permeability	MT comp. strength	3		500/-	Anoop.m			
368	SSCT/MIL/2019/31	14/2/2020	AE permeability	MT compressive strength	3		500/-	Anoop.m			
369	SSCT/MIL/2019/32	4/2/2020	AE permeability	MT compressive strength	3		500/-	Anoop.m			
370	SSCT/MIL/2019/33	4/2/2020	"	"	3		500/-	Anoop.m			
371	SSCT/MIL/2019/34	7/2/2020	"	"	3		500/-	Anoop.m			
372	SSCT/MIL/2019/35	6/2/2020	FIVE STON	"	2		500/-	Anoop.m			
373	SSCT/MIL/2019/36	9/2/2020	FIVE STON	"	3		500/-	Anoop.m			
374	SSCT/MIL/2019/37	7/2/2020	AE permeability Cap	"	3		500/-	Anoop.m			

TOTAL } 15000/-
AMOUNT }

PERIOD:- 2019 APRIL - 2020 MARCH

2018-19

312	SSET/SML 2018/884	12/4/18	Kanfra small industries Park Koralty	Compression test on CC cubes	4	1000	Anoop M
313	SSET/SML 2018/885	12/4/18	"	"	4	1000	Anoop M
314	SSET/SML 2018/886	12/4/18	"	"	6	1000	Anoop M
315	SSET/SML 2018/910	18/4/18	"	"	6	1000	Anoop M
316	SSET/GEL 2018/986	7/5/18	Kairali Minerals Koralty	Sieve analysis	1	1000	Dhanagat B
317	SSET/GEL 2018/987	7/5/18	"	"	1	1000	Dhanagat B

SI NO	INVOICE NO	Date of testing	Request form	NAME of Job & Name of test	NO of Sample	Receipt NO with date	Amount paid	Test conducted by	Assisted by	Lab in charge	Remarks
318	SSET/SML 2018/1994	9/5/18	Ceecon ready mix concrete Pvt Ltd	Compression test on CC cubes	3		500	Anoop M			
319	SSET/SML 2018/1995	9/5/18	George & Company Aragamati & ERM	Tension test on Tor steel	1		1000	Prasad IS			
320	SSET/SML 2018/1996	9/5/18	"	"	1		1000	Prasad IS			
321	SSET/SML 2018/1099	28/5/18	Kimfra small industries Park, Koratty	Compression test on cc cubes	3		500	Anoop M			
322	SSET/SML 2018/1318	26/6/18	"	"	6		1000	Anoop M			
323	SSET/SML 2018/1319	26/6/18	"	"	3		500	Anoop M			
324	SSET/SML 2018/1353	29/6/18	Ceecon ready mix concrete Pvt Ltd Pudukkad	"	3		500	Anoop M			
325	SSET/SML 2018/1352	29/6/18	Crescent high risers Pvt Ltd Vazhakkala	"	3		500	Anoop M			
326	SSET/SML 2018/1433	11/7/18	Kimfra small industries Park Koratty	"	3		500	Anoop M			

SL NO	INVOICE NO.	Date of testing	Request from	Name of Lab & Name of test	No of sample	Receipt No with date	Amount paid	Test conducted by	Assisted by	Lab in Rem charge
327	NO SSET/SML/1004	25/7/18	OLIVIA Project	sieve Analysis of fine aggregates	1		500	Anoop.m		
328	SSET/SML/1008	27/7/18	V	"	1		500	Anoop.m		
329	SSET/SML/1001	2/8/18	Kimfin Small Industries Park Morbi	compression test on 50mm concrete solid blocks	3		500	Anoop.m		
330	SSET/SML/1005	2/8/18	"	"	6		1000	Anoop.m		
331	SSET/SML/1002/1620	8/9/18	Kivadi minerals Karolvy	Sieve analysis	1		1000	Dhanaya T.B		
332	SSET/SML/1001/1621	8/9/18	"	"	1		1000	Dhanaya T.B		
333	SSET/SML/1008/1196	15/11/18	Asst Engineer LSGD chengammal	compression test on paver block	3		500	Anoop.m		
334	SSET/SML/1008/1195	15/11/18	"	"	3		500	Anoop.m		
335	SSET/SML/1008/	23/11/18	Asst Engineer LSGD nedubassay	"	3		500	Anoop.m		
336	SSET/SML/1008/1036	4/12/18	"	"	3		500	Anoop.m		
337	SSET/SML/1008/1035	5/12/18	Asst engineer LSGD sudhan for vadakanchal	"	3		500	Anoop.m		
338	SSET/SML/1008/1006	5/12/18	Asst engineer LSGD sudhan Kani Kuthy	"	3		500	Anoop.m		
339	SSET/SML/1008/1005	5/12/18	"	"	3		500	Anoop.m		
340	SSET/SML/2019/01	5/1/19	LSGD sudhan nedubassay	"	3		500	Anoop.m		
341	SSET/SML/2019/02	5/1/19	Asst engineer LSGD sudhan Kumi Kuthy	"	3		500	Anoop.m		
342	SSET/SML/2019/03	15/1/19	"	"	3		500	Anoop.m		

Sr no	Invoice no	Date of testing	Project form	Name of job & name of site	No of samples
342	SSR/SMP/2019/04	14/2/2019	LSCD section Kankudy	compression test on paver block	3
344	SSR/SMP/2019/04	14/2/2019	T.P constructions	concrete mix design	
343	SSR/SMP/2019/04	21/2/2019	LSCD section Chergamanad	compression test on paver block	3
346	SSR/SMP/2019/04	21/2/2019	LSCD section Kankudy	compression test on paver block	3
347	SSR/SMP/2019/04	20/3/2019	Meppully Building Chalakudy	compression test on cube	3

PERIOD :-

2018 APRIL - 2019 MARCH

TOTAL AMOUNT :-

33500/-

SMART MOP WITH INFRARED THERMOGRAPHY

ABSTRACT

PURPOSE


To propose a system that helps in providing a safe environment for cleaning flood ravaged homes.


PROBLEM

As the flood waters receded after the shocking Kerala Floods many challenges arised during rehabilitation procedures. The state has recorded an increase in the number of snake bite cases due to the flood water leaving behind reptiles, scorpions, centipedes and worms in houses that were water-logged.

PROJECT DESCRIPTION

Using Infrared camera we can capture thermal information of an object without making direct contact with the operating equipment. By integrating this concept of thermal imaging into a cleaning material such as mops will help in viewing the presence of any organisms buried deep under debris and mud. This proposed system consists of an Arduino Thermal camera fixed at the bottom end of the handle of an ordinary mop encased with a transparent cover. The heat signatures measured can be displayed using Adafruit 1.44" colour TFT LCD display and will give an infrared image of the object in front of it while cleaning. Interfacing Adafruit AMG8833 thermal camera sensor with arduino module this system can be easily implemented.






2018-2019

(60)

(60)



Certificate *Of* Participation

This is to certify that Mr/Ms Mariya Treesa Vincent
a student of SCMS School of Engg. & Technology, Karukutty
was a member of the Malayala Manorama-funded project-team that participated
in the YUVA-MASTERMIND 2019, a state level innovation contest for students. The contest
was organized by Malayala Manorama in technical partnership with
Amal Jyothi College of Engineering, Kanjirapally, Kerala, during January 19-20, 2019.

Project Title: Smart Mop with Infrared Thermography

Jacob Mathew

Jacob Mathew
Managing Editor
Malayala Manorama

2017-18

Sl. No.	Category	Date	Period	Location	Activity	Days	Start Date	End Date	Rate	Supervisor	Officer
276	SSET/SML	07/04/17	2017/19	Assistant Engineer Kodugallur	Tension test on Top Steel	4	9473/31/17	14000/-	PRASAD .IB	Hima madhavan	
277	SSET/SML	8/04/17	2017/28	PWD Building Section Chinnandy	Cement concrete cube	3	?	500/-	PRASAD .IB	Hima madhavan	
278	SSET/	07/04/17	2017/19	Assistant Engineer, PWD road section Kodungallur	Tension Test on Top steel (Minas TMT Bars) - 500D.	4	9473/03/17	14000/-	Prasad .IB.	Hima Madhavan	
279	SSET/	08/04/17	2017/20	Assistant Engineer PWD Building Section Chelakkudy.	compression test on cement concrete cube	3		500/-	Prasad IB.		
280	SSET/SML	18/4/17	2017/21	Assistant Engineer PWD, Road section Kodungallur	Mix design * M35	1	9473/ 03/04/17	14000/-	Prasad .IB	Hima Madhavan	
281	SSET/GEL	18/4/17	2017/22	Kaivali Minerals Nalukettu, Koratty	GE Lab Sieve analysis of quartz sand	1	9473/ 30/3/2017	1000/-	Dhanaya T.B.		
282	SSET/GE	21/4/17	2017/23	Kaivali Minerals Nalukettu, Koratty	GE Lab Sieve analysis of quartz sand	1	43885 12/4/17	1000/-	Dhanaya TB		
283	SSET /	4/4/17	2017/17	Kaivali Minerals	GE Lab, Sieve analysis	1	9410 30/3/17	1000/-	Dhanaya T.B		
284	SSET/GEL	2/5/17	2017/25	Project Manager Abhiram infra services KINFRA	Sieve analysis of given sample	1	43582 26/4/17	1000/-	Dhanaya T.B.		
285	SSET/	04/05/17	2017/26	Assistant Engineer PWD road section Kodungalloor.	compression test on cement concrete cube.	3		500/-	Hima Madhavan.	PRASAD .IB.	
286	SSET/SML	12/5/2017	2017/27	Green method engeneer ing.	Compression test on cement concrete cube.		16019/ 8/5/17	500	PRASAD .IB		

Sl No	Office No	Date of Testing.	Request From.	Name of Lab and Name of Test.	No of Sample.	Receipt No with date.	Amount Paid.	Test Completed by	Assisted by.	Lab invoice	Remarks
287	SSET/sml 2017/28	25/5/2017	Letter from ASSIST engineer PWD Road section kodungalur.	Compression test on cement concrete cube	3		500	124	PRASAD-IB		
288	SSET/sml 2017/29	22/6/2017	Letter from the ASSIST Engineer PWD Road section kodungalur.	Compression test on cement concrete cube concrete cube design M35.							
289	SSET/sml 2017/30	22/6/2017	Letter from the Chief Executive Officer in Karpagam Koratty.	Concrete mix design grade M25							
290	SSET/GEL 2017/31	26/7/2017	Kairali Minerals Nalukettu	GE Lab Sieve analysis	1		RS.1000/-		Dhanaya.T.B		
291	SSET/GEL 2017/32	26/7/2017	Kairali Minerals Nalukettu	GE Lab Sieve analysis			RS.1000/-		Dhanaya.T.B		
292	SSET/GEL 2017/33	26/7/2017	Kairali Minerals Nalukettu	GE Lab Sieve analysis			RS.1000/-		Dhanaya.T.B		
293	SSET/GEL 2017/34	26/7/2017	Kinfra hitech park, Kalamassery	GE Lab. Sieve analysis			RS.1000/-		Dhanaya.T.B		
294	SSET/GEL 2017/35	7/8/2017	Kinfra hitech Park Kalamassery	GE Lab Sieve analysis			RS.1000/-		Dhanaya.T.B		
295	SSET/SML 2017/350	26/9/2017	Olia Projects IMA, Chalabudy	SM Lab Compression test on CC cubes	3		RS.500/-		Prasad.I.B		

Sl No	Invoice No	Date of testing	Request form	Name of lab & Name of test	No of sample	Receipt no with date	Amount Paid	Test Conducted by	Assisted by	Lab recharge	Remarks
296	SSEI/SML 2017/189	26/9/2017	Letter from Olivia Project Chalakudy	Compression test on CC cubes	3		500	PRASAD-MS			
297	SSEI/SML 2017/256	28/9/2017	Letter from Olivia Project Chalakudy	Compression test on CC cubes	3		500	PRASAD-MS			
298	SSEI/SML 2017/302	21/10/2017	Kajjali Structural Fabrication Pvt	Tension Test on 2.9mm sheet			1000	PRASAD-MS			
299	SSEI/SML 2017/352	7/11/2017	AK Varghese Sam tiles mckaal.	Compression Test on Paving tiles	3		500	PRASAD-MS			
300	SSEI/SML 2017/425	6/12/2017	Angies hilt muni Para Chalakudy	Compression Test on Paving tiles	1		500	PRASAD-MS			
301	SSEI/SML 2017/427	6/12/2017	Akkara industries Konner korratty	Compression Test on Paving tiles			500	PRASAD-MS			
302	SSEI/SML 2017/428	6/12/2017	Akkara Parbil cement Project chiv arava	Compression Test on Paving tiles			500	PRASAD-MS			
303	SSEI/GEL 2017/429	6/12/2017	Assent Engener PH Section KWA Tiruv	Sine analysis			1000	DHANAYA			
304	SSEI/SML 2017/431	7/12/2017	MV DEUSSY Korratty.	Compression test on Paving tiles.			500	PRASAD			
305	SSEI/SML 2018/598	20/1/2018	Olivia Project	Compression Test on CC cube			500	ANOOPI			
306	SSEI/SML 2018/646	2/2/2018	eti 11	11			500	ANOOPI			

S.I NO	INVOICE NO	Date of testing	Request form	Name of Joby name of test	No of sample	Receipt no with date	Amount paid	Test conducted by	Assisted by	Test in charge	Remarks
307	SSET/SML 2018/676	12/2/2018	COMPRESSION TEST ON KOLONY CO'S INTERLOCK TILE	MR ANTONY, LAKSHMI TIE Pa CLERY			500	ANoop M			
308	SSET/SML 2018/308	19/2/18	Kinfra small industries Park Koratty	Compression test on CC cubes	3		500	Anoop M			
309	SSET/SML 2018/756	26/2/18	Railway	CBR	1		1500	Prasad B			
310	SSET/SML 2018/759	28/2/18	Kinfra small industries Park Koratty	Compression test on CC cubes	2		500	Anoop M			
311	SSET/SML 2018/940	28/3/18	Damodar bolts and nuts Pvt Ltd Angamali	Tension test on M12 stud.	1		1000	Prasad B			
PERIOD: 2017 APRIL - 2018 MARCH							TOTAL AMOUNT :-		64500/-		

2016-17

Sl No	Invoice No	Date of testing	Request from	Name of lab & Name of test	No. of samples	Receipt No. & Date	Amount paid	Test conducted by	Assisted by	Lab in Charge	Remarks
240	SSET/GEL/2016/99	2/4/16	Kairali Minerals, Nalukettu, Kozhikode	G.E Lab Specific gravity of quartz sand	2	3292 31/3/16	600/-	Dhanaya T B	-		
241	SSET/SML/2016/100	13/4/16	J&P Industries Karukuttu	SM Lab Compression test on C.C. Block	3	5828 13/4/16	1500/-	Bindu Menon	Prasad IB		
242	SSET/SML/2016/101	13/4/16	J&P Industries Karukuttu	SM Lab Compression test on C.C. Block	3	5828 13/4/16					
243	SSET/SML/2016/102	13/4/16	J&P Industries Karukuttu	SM Lab Compression test on C.C paving tiles	3	5829 13/4/16					
245	SSET/GEL/2016/103 PERIOD JUNE '16 - MAY '17 2006-2017	31/5/16	Shaji P. C Contractor Peedikaparambil, Thodupuzha	G.E Lab Sieve analysis of quartz sand	1	2325 30/5/16	1000/-	Dhanaya T B	-		
246	SSET/SML/2016/104	09/06/16	J&P constructions Karukuttu	concrete Mix design for M20		9459 28/04/16	8000/-	Hima. Moolharan	Prasad IB		
247	SSET/SML/2016/105	09/06/16	J&P constructions Karukuttu	concrete Mix design for M20		9459 28/04/16					
248	SSET/SML/2016/106	09/06/16	J&P constructions Karukuttu	concrete Mix design for M Sieve analysis of C.A & F.A		9459 28/04/16					
249	SSET/SML/2016/107	23/08/16	Paul K. Sabu Project Engineer Jibu & Thomas Projects Pvt LTD, calicut	compression test on cement concrete cube	3	9459 28/04/16	300/-	Hima. Moolharan	Eldo Ebrahim		
250	SSET/SML/2016/108	06/09/16	Rony Antony - Kozhikode steel Associates	Compression test on cement concrete Paving tile	3	7524 06/09/16	500/-	Hima. Moolharan			

Sl No.	Invoice No.	Date of Testing	Request from	Name of Lab & Name of test	No. of samples	Receipt No with date.	Amount Paid.	Test conducted by.	Assisted by	Lab in charge.	Remarks.
251	SSET/SML 2016/109.	09/09/16	Paul. K. Babu Project Engineers Jibu & Thomas projects Pvt. Ltd.	SM Lab. Compression test on cement concrete cube.	3	28317 09/09/16	300/-	Hima Madhavan			
252	SSET/SML 2016/110.	06/10/16	Asst. Engineers, PWD Roads section. Chalakudy.	SM Lab. Compression test on cement concrete cube.	3.	30765 04/10/16	300/-	Hima Madhavan	Prasad. I.B.		
253	SSET/SML 2016/111	15/10/16.	Paul. K. Babu Project Engineers Jibu & Thomas Projects Pvt. Ltd.	compression test on cement concrete cube.	3	22947 14/10/16	300/-	Hima Madhavan	Bindu Menon		
254	SSET/SML 2016/112	15/10/16	Sasath ASOK Project Engineers Arcs n lines Developers.	Compression test on cement concrete cube	(6) 9 (3 sets)	22948 14/10/16	900/-	Hima Madhavan			
255	SSET/SML 2016/113	07/11/16	Bhavan's Vidya Mandir, kadavanchra	Compression test on cement concrete blocks (poly blocks)	3	-	No fees	Hima Madhavan	Bindu Menon		
256	SSET/SML 2016/114	24/11/2016	J&J Cement Bricks and Tiles, Melkkaad	Compression test on road paving tile.	3	18805 24/11/16	500/-	Hima Madhavan	Prasad. I.B.		
257	SSET/SML 2016/115	30/11/2016	J&J Cement Bricks and tiles, Melkkaad	compression test on road paving tiles.	2	17045 30/11/16	1000/-	Hima Madhavan.	Prasad. I.B.		
258	SSET/SML 2016/116	30/11/2016	J&J cement Bricks and tiles, Melkkaad.	compression test on road paving tiles.	3	17045 30/11/16					
259	SSET/SML 2016/117	03/01/2017	Mr. A.K. Varghese, Sava tiles, Melkkaad	compression test on paving tiles.	2	14099 03/01/17	1000/-	Prasad. T. B.	Hima Madhavan		
260	SSET/SML 2016/118	03/01/2017	Mr. A.K. Varghese, Sava tiles, Melkkaad.	compression test on paving tiles.	2	14099 03/01/17					
261	SSET/SML 2016/119.	03/01/2017	M. T. Vipin Paul, Sava concrete bricks. Melkkaad.	compression test on paving tiles.	1	14100 03/01/17	500/-	Prasad. - I.B.	Hima Madhavan		

Sl No.	Invoice No.	Date of Testing	Request Form	Name of Lab & Name of test	No. of Samples	Receipt No with date.	Amount paid	Test conducted by.	Assisted by.	Lab in charge	Remarks
262	SSET/SML/2017/01	09/01/17	Same concrete bricks Melkkad	Compression test on cement paving tile	3	14258/ 06/01/17	500/-	Hima Madhavan	Prasad. J.B		
263	SSET/SML/2017/02	18/01/17	Town N.s.s, Karayogam Chalakkudy	Compression test on cement concrete cube	6	13956/ 18/01/17	600/-	Prasad. I.B.	Hima Madhavan		
264	SSET/SML/2017/03	31/01/2017	Mr. Jovin Antony Puthussery, Chirangasa	Compression test on Cement concrete bricks	3	?	500/-	Hima Madhavan			
265	SSET/SML/2017/04	06/02/17	Ass. Engineers, PWD Building Section, Chalakkudy	Tension test on Tor steel		12743/ 24/01/17		Prasad. I.B. &			
266	SSET/SML/2017/05	06/02/17	"	Compression test on cement concrete block		"		Hima Madhavan			
267	SSET/SML/2017/06	"	"	"		"					
268	SSET/SML/2017/07	"	"	"		"					
269	SSET/SML/2017/08	"	"	"		"					
270	SSET/SML/2017/09	"	"	"		"					
271	SSET/SML/2017/10	09/02/17	Kerala Steel Associates Industrial Area, Angamaly	Tension test on TMT steel Bar	1	19945/ 08/02/17	1000/-	Prasad. I.B.	Hima Madhavan		
272	SSET/SML/2017/11	13/02/17	Sasa Concrete Bricks & Tiles	Compression test on paving tiles	6	20305/ 13/02/16	1500/-	Hima Madhavan	Prasad. I.B.		
273	SSET/SML/2017/12	16/02/17	Sasa Concrete Bricks & Tiles	Compression test on paving tiles	4	20590/ 16/02/17	1000/-	Hima Madhavan	Prasad. I.B.		
274	SSET/GEL/2017/13	28/02/17	Kairali Minerals Nalukettu	Specific gravity of quartz sand	1	23163/ 27/02/17	600/-	Dhanaya. T.B.			
275	SSET/SML/2017/14	01/03/17	Kooran's Bricks & Pavers, Wilkouratty	Compression test on paving tiles	3	43037/ 01/03/17	500/-	Hima Madhavan			
276	SSET/GEL/2017/15	07/03/17	Kairali Minerals Nalukettu	Sieve analysis	1	23028/ 02/03/17	600/-	Dhanaya. T.B.			

Sl No.	Invoice No.	Date of Testing.	Request From	Name of Lab & Name of Test	No. of Samples
275	SSET/SML 2017/16	01/03/17	Concrete Institute Pavess	Compression test on paving tiles	3
PERIOD : 2016 APRIL - 2017					

Receipt No. with Date.	Amount paid.	Test conducted by-	Assisted by.	Lab in charge	Remarks
A3037/01/03/17	500/-	Hima Madhavan	Prasad. I. B.		
TOTAL AMOUNT :-			33100/-		

Happy to inform that Malayala Manorama - Yuva Master Mind - Team have inspected our projects on 05-12-2016 at SSET, Karukutty campus. Expressing satisfaction over the work done they released 2nd phase funding for the completion/execution of work.

Project Name: Muscle to Machine Interface

Project Guide - Dr. Sunil Jacob, Professor , ECE, SSET

Project Name: Wearable device for heart failure detection

Project Guide: Mr. Vinoj P G , Asst. Professor , ECE , SSET

